

USM Airportsystems f 111111seated - standing - mobile modular airport solutions

² Introduction

4 USM concept

The advantages of USM Haller in an airport environment

5 Check-in

- ¹⁷ Boarding pass control
- ²³ Security screening
- ²⁹ Passport control
- 33 Gate counter
- ⁴¹ Information desk
- $_{45}$ References
- 55 Product information

For more than 55 years USM has been manufacturing modular furniture with the aim of adapting the product to the evolving needs of the customer. The USM system comprises of a chrome-plated brass ball, chromed steel tubes which connect to the ball forming a stable framework and powder coated metal panels mounted between the tubes.

In 2011 USM entered into a business cooperation to offer airports the combination of a product that fulfills the diversified demand of user together with the vision and expertize of planners and architects. USM Airportsystems has meanwhile completed projects for more than 50 airports and national airport authorities worldwide.

With the input of the customer on the requested function of the unit, the CUTE integration and the space available, USM Airportsystems designs bespoke furniture for all touchpoints in airports.

USM concept

1 Modular

If the space, situation or desired use of the unit changes, the modules can be disassembled and reconstructed.

² Sustainable

The longer a product can be used, the more economical it is and the less impact it has on the environment. USM Modular Furniture was the first company in Europe to achieve the Greenguard certificate allowing it to qualify for LEED rating. It also holds the Cradle to Cradle certificate.

- 3 Robust
- ⁴ Flexible
- 5 Zero fire load B1.
- 7 Versatile HPL, stone or glass.
- 8 A thing of beauty! Since 2001 USM Modular Furniture Haller is



Steel panels combined with a virtually indestructible polished chrome frame.

Units can be dismantled and reconfigured at any time. They can be organized individually, extended using new elements or combined with parts from decades ago without a visible difference. If a scanner is updated only one panel needs replacing.

Confirmed by Building Material Test Certificate

6 Cost and time efficient

Alterations or rebuilding can be undertaken on site and by the owners themselves.

The steel panels can be replaced by wood,

permanently exhibited in The Museum of Modern Art (MoMA) in New York City.

Seated Standing Mobile



5



Seated

Get seated at the check-in desk!

This seated module allows for the integration of all widths of conveyor belts and automated baggage drop-off systems.

1 W 1250 D 850 H 1090 Working surface 740 mm

Multifunctional work center

 \rightarrow

 \rightarrow

 \downarrow

The design includes a sunken shelf for the monitor, one printer extension shelf and a lockable drop-down door for the CPU and general storage. The desk is configured around the CUTE equipment provided by the customer. Should the equipment not fit, larger tubes and panels can be used.

Colour accents Using the 14 standard USM colours, panels can be combined to reflect the airport or airline CI. Alternatively airline logos using magnetic foil can be attached to the front of the panels.

Bag shelf This configuation includes a passenger bag-shelf on the 750 mm wide panels. These can however be mounted around the entire unit.

Customized cut-outs Using precision cut-outs, baggage displays, control panels and emergency baggage stop buttons can be mounted behind the metal, glass or HPL panels.





Standing

9

Customise your check-in desks!

A USM check-in desk doesn't have a front or a back, It should be aesthetically pleasing for both user and passenger. The user has a clean and tidy workspace with each piece of CUTE equipment housed in a specifically designed compartment. Printer paper, baggage tag rolls and boarding passes all have a designated space. Modules are only added if needed allowing desks to be minimal in size freeing up space for passengers.



Barrier–free Should the space be available, a section reduced in height allows for wheelchair accessible options.

Standing

Adapting the desk over time

This module allows the user to stand at the check-in desk. Customers can start with the basic module and retrofit the added compartments in figure three and four at a later date. Alternatively compartments can be removed should the function no longer be needed.





2 Basic model

The basic module has an extension shelf for the keyboard, a lockable drawer, an extension shelf for the printer and a lockable drop-down door for the CPU.

- 3 Extension Figure 3 allows for added storage space and another extension drawer for a printer. The lower compartment can be left open or a door added if requiered.
- 4 Wheelchair accessibility An added section for wheelchair accessibility allows for the easy exchange between user and passenger.





Standing Mobile

Roll in the check-in desks!

A combination of standing and mobile check-in desks enables the airport or airline to immediately react to an increase in passenger flows.



Hardware intergration This model displays integrated monitor arms and height adjus-table keyboard trays. It has one extension shelf for printers and one lockable drop-down door for the CPU. \uparrow

Casters or glides? Mobile solutions are offered in all different size variations on hard or soft casters depending on the floor type, with or without locks and double casters.

Standing Mobile



*Working surface height

Product specification

Cable cut-out Perforated panel privacy screen Stand alone or integrated scanner Extension drawer (height adjustable) for keyboard with reader for magnetic stripe, barcode, RFID and OCR for all passports and passenger IDs Extension shelf for bar code baggage tag and boarding pass printer Lockable storage space cont-aining CPU, initerruptable power supply and batterypack allowing for total unit mobility and independence from main power supply. A perforated floor panel allows for air circulation Glides, small casters with hard or soft running surface and optional locks or large casters with optional locks



Boarding pass control



Boarding

Fulfilling customer needs

A boarding pass control desk can vary between a small mobile unit where the passenger scans a boarding pass to a 360° transfer service point.



 \uparrow Multifunctional This unit combines an informa-tion desk with a boarding pass control counter. It serves as the last touchpoint before the pas-senger moves into the airport security area.



19

Boarding

Safety standards

Safety tempered glass can be added or removed depending on changing safety standards.





- 9 Stand alone A minimal approach with integrated scanners can be sufficient.
- 10 Mix and match The Haller modular furniture system can be matched to the dimensions of a USM classic table.
- 11 Full circle This 360° version has two magnetic doors and ample USM Haller storage space. The doors can be a combination of dropdown, extension or flip-up doors depending on the use.



Security Screening



Security screening

Reinforced working surface

Security screening furniture is reinforced with a brushed stainless steel surface enclosing a wooden insert and attached to a USM metal panel. All units can be modified in size to fit the surrounding.

•

25



.

Hand luggage screening This series is comprised of a recheck console with and integrated monitor and keyboard post. Explosive Trace Detection cabinets and re-vest tables. Using lockable single or double casters, glides, a pull handle and a variation of lockable doors, the line can be modified to fit the requirements of the user.

Security screening

Explosive Trace Detection cabinets

ETD cabinets are designed for the ETD unit to sit on top of the cabinet during use and to be placed inside the cabinet behind a lockable extension drawer when not in use. The lower compartment can be equipped with a battery pack to charge the ETD unit.















 $^{\uparrow}$ Re-vest tables Available in single and double units, on glides or casters, and with lockable drop-down doors.

Passport Control





Passport control







 \uparrow

Reinforced casters Often required for non-Schengen flight, the desk has been equipped with reinforced double casters allowing the units to be used at various gates around the airport

Gate Counter

One lane Two lane Mobile



One lane

Modularity at its best!

The size of the gate counter tends to reflect the size of the aircraft being boarded. USM caters for every eventuality from short to long haul flights with one lane to four lane gate counters or more.



26

28

W 1100 D 1000 H 1090

W 1100 D 500 H 1090

24 Basic model The simplified version of a one lane gate counter with a scanner ledge, two extension shelves and a lockable dropdown door.

- 25 Scanner integration A further example of a gate counter where the scanner can be integrated into the scanner box.
- 26 More storage Here the scanner can be integrated and the compartments below equipped with doors for extra storage or an added printer extension drawer.
- 27 Seat change The scanner box has been extended for an additional printer for seat changes.
- 28 Trash compartment The scanner box can be extended to the floor for further storage space and a trash compartment.





Perforated panel privacy screen

Stand alone or integrated barcode/ boarding pass reader, NFC compatible. Cable management through standard cable cut-out



Extension shelf for dot matrix printer for passenger boarding lists using fanfold paper

Cable cut-out Extension drawer (height adjustable) for keyboard with reader for magnetic stripe, barcode, RFID and OCR for all pass-ports and passenger IDs Deckable drop-down door for central process-ing unit with perforated floor panel for air circulation

Build-on or integrate!

 \uparrow

All desks can be equipped with safety tempered glass or Plexiglas as a security shield, integrated monitor arms, height adjustable keyboards, and cut-outs for the integration of intercoms and telephones.

Two lane or more

<u>Retrofit</u>

If, at a later date, the airport or airline wishes to divide the counter into two separate desks or alternatively, add a third work position, the parts can be ordered and retrofitted.



30 W 2000 D 850 H 1090



29 Electricity source Some airports require the

desk.

ner.

30 Scanner boxes

31 Seat change

32 Coat rack

rack.

counters to source electricity from the ceiling and others from

accomodate either eventuality

using an electricity post run-

ning from above directly into the desk or through shortened panels at the bottom of the

The added scanner boxes on the left and right allow for a stand alone or integrated scan-

By extending the scanner box,

an additional stand alone seat

change printer can be used.

The additional side compartments allow for trash or a coat

a floor tank. Each desk can





Perforated panel privacy screen

Cable cut-out

Stand alone or integrated barcode/boarding pass reader, NFC compatible. Cable management through standard cable cut-outs

Extension shelf for dot matrix printer for passenger boarding lists using fanfold paper

Extension drawer (height adjustable) for keyboard with reader for magnetic stripe, barcode, RFID and OCR for all passports and passenger IDs

Lockable drop-down door for central processing unit with perforated floor panel for air circulation



Mobile

Help is at hand!

Mobile counters are often used as a fallback solution in case of increased passenger flows. Any desk configured on page 15 can be converted into a mobile unit. Cut-outs in the metal panels with mounting sets allow for the integration of biometric facial recognition scanners, height adjustable monitors and keyboard trays.

- 34-36 Small and practical The smallest mobile gate solution can house a key-board, boarding pass and baggage tag printers, CPU and a stand alone or integrated scanner.
- 37-39 Larger and practical! This wider unit provides space for a height adjustable monitor and keyboard, 3 printers, an inte- grated or stand alone boarding pass scanner, intercom and telephone.









40 Changing needs The double unit can include all of the aforementioned for two work spaces and a further passenger list printer. If, at some stage, it is decided to make the mobile desks a permanent solution, the casters can be removed and replaced with glides.

Information desk





Information desk

First impressions

An information desk reflects the efficiency and professionalism of an airport. A clutter-free design with endless storage, this unit can be extended or reduced in width depending on the airport requirements. This type of configuration is also suitable for car rental or hotel informations desks. USM Haller metal panel colour combinations and logos can be added for corporate design purposes. By adding panels from USM A world of plants, waiting areas like departure or arrival halls can be made more cozy and welcoming.

 \rightarrow IT Accessibility Placing drop-down doors under the bag-shelf at the front of the unit allows for easy IT access.

Warm or cold light Haller E is used to backlight the information logo and can also be used to charge devices With the addition of a USB port.

 \rightarrow





 \downarrow Display

i

Optional slanted panels allow for space to display magazines. The panels can be lifted and the compartment behind used as storage. Wheelchair accessibility Reducing the side height of the desk allows for easy exchange with persons in a wheelchair.



 \downarrow

Referen-

Ces

References - USM Airportsystems 46

1 Hannover Airport, Germany, Terminal E Gate counters and transfer service point Airport, Qatar boarding pass control desk







1

- 2 Sandefjord Airport, Torp, Norway
- 3 Ålesund Airport, Norway Check-in and gate counters
- 4 Kristiansand Airport, Norway Gate counters









- 5 Leipzig/Halle Int. Airport, Germany Self check-in. boarding pass control, gate counters, signage and info desk
- Hamad Int. Airport, Qatar
 850 units including re-check consoles, ETD cabinets, re-vest tables and search tables
- 7 Chicago O'Hare Int. Airport, USA Gate counters for A380
- 8 Toronto Pearson Int. Airport, Canada Re-vest tables







7

With thanks!

Over the last ten years, USM Airportsystems has completed more than 50 projects worldwide. We would like to take this opportunity and thank our customers and partners for their ongoing support.



Great Harbour Cay, Bahamas Ticketing, departure, immigration and custom counters

Abu Dhabi Int. Airport, UAE Check-in desks

Oslo Gardermoen Airport, Norway Mobile kiosks, gate counters

Miami Int. Airport, USA, Terminal F Gate counters

Erie Airport, USA Gate counters

Thunder Bay Int. Airport, Canada Mobile desks

Hamad Int. Airport, Qatar "Pop-up" coffee shop

Boston Logan Int. Airport, USA Mobile check-in desks

Geneva Airport, Switzerland Car rental and travel agency

Medicine Hat Airport, Canada Gate counters

Dnata for Qatar Airways, Switzerland Mobile Kiosks Hannover Airport, Germany, Terminal E Gate counters and transfer service point

Kingston Int. Airport, USA Ticketing counters for Air Canada

Philadelphia Int. Airport, USA Gate counters

Arlanda Airport, Sweden Gate counters

Jeddha, KSA Check-in desk

Narita Int. Airport, Japan Chanching stations

Chicago O'Hare Int. Airport, USA Gate counters for A380

Toronto Pearson Int. Airport, Canada Re-vest tables

Erik Nielson Whitehorse Int. Airport, Canada Gate counters

Los Angeles Int. Airport, USA Bus port

Calgary Int. Airport, Canada Check-in desks stationary and mobile EuroAirport Basel, Mulhouse, Freiburg, Switzerland Gate counters

Charleroi Airport, Belgium Gate counters

Zürich Int. Airport, Switzerland Passport control desks

Cotes d'Azur Airport, France Mobile gate counters and security desks

Marseilles Airport, France Baggage reclaim desks

Condor Airlines Mobile check-in desks

46 Norwegian Airports in cooperation with Avinor, Norway Check-in and gate counters

Hamad Int. Airport, Qatar Security screening - re-check consols, re-vest tables, ETD cabinets

Berlin Brandenburg Airport, Germany Check-in desks

Leipzig/Halle Int. Airport, Germany Self check-in. boarding pass control, gate counters, signage and info desk

USM Haller Panels Doors The USM Haller system provides a wide variety 5 Metal flip-up Metal panel 1 of elements in standard sizes. Widths, depths door* 2 Glass panel and heights are indicated below. All measure-Glass door 3 Acoustic panel ⁶ outside dimension = ments refer to the distance between axes. 7 Acoustic dropdistance between axes + 23 mm Perforated 4 down door* metal panel* distance between axes <u>,</u>11,5 8 Metal dropdown door 9 Metal extension door* •

20

Leveling foot of 23 mm is available by request.

Your safety matters to us. Check out the USM safety instructions now. www.usm.com/safety



6.5

18



All measurements in mm.

Shelves and

10 Metal divider

11 Glass divider

12 Metal exten-

sion shelf

13 Metal angled

shelf

shelf

shelf

14 Extension

filing set

with extension shelf

15 Small drawer

D: 500

D: 500

D: 500

D: 500

16 A6 drawer

17 A5 drawer

18 A4 drawer

19 Metal plant panel

with circular recesses to hold the pots

drawers

- 20 Hanging file baskets
- 21 Metal box insert
- 21a Slide profile for metal box insert
- 22 Cable cut-out
- 23 Metal, magnetic bookend
- 24 USM Inos Box 31 USM Inos C4 25 USM Inos
- DVD tray
- 26 USM Inos CD tray

- 27 USM Inos angled file trays
- 28 USM Inos card box set
- 29 Bookend for bookshelf panel (D: 350)
- 30 USM Inos C4 box set, open
- box set, closed
- 32 USM Inos drawer organizer set

Start configuring your individual piece of USM now! www.usm.com



in D: 500 mm. *Acoustic version available. All measurements in mm USM Haller - USM Airportsystems 56

USM Haller E

A modular structure of your design, either completely or partially equipped with e-Balls and e-Tubes, is connected to a source of electricity. The structure itself conducts the low voltage electricity to the desired location using the e-Balls, e-Connectors and e-Tubes to form a circuit. USB chargers or light sources can be snapped into place in pre-cut recesses. The power supply is drawn from any point near the ground. The power supply cable is attached to a Haller e-Ball, and the power adapter is subsequently tucked underneath the furniture until only the operating switch remains visible. From this point the power supply requires no further cables but rather is integrated into the structure of the furniture.

- 1 Glass Panel 4 Compartment 7 Glass elements with an Extencan be illuminated sion Shelf throughout. The entire compartment with an 2 Without Metal extension shelf Paneling can be illuminated. Compartments 5 Drop-Down without metal paneling can be and Extension completely Door illuminated. Via the "Light
- 3 With Metal Paneling Compartments with metal paneling can be illuminated from the front.
- When Compartment Is Open" function, the light automatically turns on when the door is opened. 6 Angled Shelf The presentation

space is illumi-

nated from the

front

- Floor Lighting With floor lighting, the light shines at a 25-degree angle under the furniture. Ambient 8 Lighting The light is directed vertically towards the back, illuminating the surroundings with a warm glow. e-USB a Charger
 - It can be integrated in the same places as the e-Lights.
- 1 e-Lights Dimmable, availa ble in - Warm white 2700 Kelvin - Cold white 5700 Kelvin Both with or without the "light at compartment opening" function. 2 e-USB
 - Charger Provides a voltage of 5 volts to the connected device. (Capacity: 6.5 W)

3 e-Dummy 4 e-Tube Sleek, black e-Dummy element close recesses that are still unutilised. If a piece of furniture should later be supplemented with additional light, using e-Tubes (consuming), which are first equipped with e-Dummy elements, is recommended.

cesses for e-Lights, e-USB chargers or e-Dummy elements that can be easily snapped into place or replaced.

(power outlet)

Tubes with re-

L 350, 1 recess L 500, 2 recesses L 750, 3 recesses

WINNER

Winner of the German

Design Award 2019 for

in the Office Furniture

category

outstanding design quality











Winner of the Winner of the Wallpaper* Design Awards 2018 quality

Focus Gold Award 2018 for outstanding design

Winner of the Muuuz International Award 2018 in the furniture categor

miaw

Winner of the FX Design Awards, Lighting Product 2017





5 e-Tube (conductive) The conductive e-Tube serves to conduct the electricity if no inserts are desired in this location. It is available in lengths of 750, 500, 395, 350, 250 and 175 mm. 6 e-Ball.

e-Connector To enable the flow of electricity, the ball and connector were refined. The exterior dimensions remain unchanged. The distinguishing feature of the ball is the black insulation ring.

7 e-Power Supply

Includes dimmer at the operating switch. Transforms the power supply voltage to 24 volts. (Capacity: 60 W) CE

Engineered & Made in Switzerland.

Only available in certain countries. Please contact USM Switzerland for availability in your country.

USM Haller Table

The USM Haller classic and USM Haller Plus Desk can be equipped with an optional cable basket, while the USM Haller Advanced features integrated smart solutions for electrification. All desks can be equipped with grommet hatches for network access.

Optional cable basket underneath the tabletop	adaptation points Integrated cable tray accessible from above by sliding back the tabletop Adaptation points for accessories	Optional cable basket underneath the tabletop Removable adaptation points for accessories	
			Ń
USM Haller Classic	USM Haller Advanced	USM Haller Plus	USM Haller occasional tab
H: 740 L: 3000 / D: 1000 L: 3000 / D: 750 L: 2500 / D: 1000 L: 2500 / D: 750		H: 740 L: 3000 / D: 1000 L: 3000 / D: 750	square
L: 2250 / D: 1000 L: 2250 / D: 750 L: 1000 / D: 1000 L: 750 / D: 750 L: 1250 / D: 500** L: 1500 / D: 500**			H: 370 L: 3000 / D: 1000 L: 3000 / D: 750 L: 2500 / D: 1000 L: 2500 / D: 750 L: 2250 / D: 1000
H: 740 or 680-860* L: 2000 / D: 1000 L: 2000 / D: 750 L: 1750 / D: 1000 L: 1750 / D: 750 L: 1500 / D: 1000 L: 1500 / D: 750 L: 1250 / D: 750	H: 740 or 680-860* L: 2000 / D: 1000 L: 2000 / D: 750 L: 1750 / D: 1000 L: 1750 / D: 750 L: 1500 / D: 1000 L: 1500 / D: 750 L: 1250 / D: 750	H: 740 or 680-860* L: 2000 / D: 1000 L: 2000 / D: 750 L: 1750 / D: 1000 L: 1750 / D: 750 L: 1500 / D: 750 L: 1500 / D: 750 L: 1250 / D: 750	L: 2250 / D: 750 L: 2000 / D: 1000 L: 2000 / D: 750 L: 1750 / D: 1000 L: 1750 / D: 750 L: 1500 / D: 750 L: 1500 / D: 750 L: 1250 / D: 750 L: 1000 / D: 1000 L: 750 / D: 750

Sliding tabletop + | Working desk

Occasional table



able,

	H: 370
	L: 3000 / D: 1000
	L: 3000 / D: 750
	L: 2500 / D: 1000
	L: 2500 / D: 750
	L: 2250 / D: 1000
	L: 2250 / D: 750
	L: 2000 / D: 1000
	L: 2000 / D: 750
000	L: 1750 / D: 1000
750	L: 1750 / D: 750
000	L: 1500 / D: 1000
750	L: 1500 / D: 750
000	L: 1250 / D: 750
750	L: 1000 / D: 1000
750	L: 750/D: 750

Accessories for all USM Haller Desks

1 Grommet hatch for network access Hatch for a single power outlet, flushmounted in tabletop. This unit can be mounted in 4 two different positions on the tabletop. Please specify which position you want when ordering. 2

Cable management 5 For the Advanced table type, a cable tray integrated under the tabletop offers storage room and attachment options for all cables and technical components. For the USM Haller Plus, a cable wire basket can be attached.

3 CPU holder Computers in various sizes can be mounted using a simple holding device under the table.

> Link chain Holds and directs cables to the power source. . Flexible and adjustable to various lengths.

Flat screen support arm Screens are mounted onto the support arm (VESA standard). Swivel-type with a spherical joint for the screen. Mounting at different heights is possible for screens weighing up to 12 kg.



7 Front and side panel Can be attached under the table to the long side or laterally. For tables with lengths: 2000, 1750, 1500, 1250 and depths: 1000, 750.



* Manual height adjustment with a removable handle. ** Note: These sizes are not vet included in the standard range.

All measurements in mm.

All measurements in mm

Basic table

Accessories for USM Haller Desk Plus / Advanced

- 8 Pivoting pen holder Provides room for writing instruments and can be discreetly stowed
- USM Privacy Panels

under the tabletop.

Can be attached to the long side to ensure individuality and privacy for people working at tables configured as a cluster. H: 350 or H: 700. For tables with lengths: 3000, 2000, 1750, 1500.

10 Handle

With slip clutch for synchronous height-adjustment (optional).

11 Flat screen support bar

The support bar is inserted into the adaptation points. Up to two screens $(max. 2 \times 12 \text{ kg})$ can be attached using a mounting plate (VESA standard). Screens can be mounted at different heights; screens can be adjusted with ball joints. Continuously height-adjustable for screens weighing up to 12 kg.

Options

11a Flat screen support bar fix 1b Flat screen support bar adjustable Move forwards or backwards two notches at a time to adjust the viewing distance.

- 12 USB adapter The adapter is suitable for USB 2.0 and 3.0 ports. It can easily be inserted into the adaptation point. Usable as power supply or for data transfer.
- 13 Lamp peg An optional lamp peg for easy attachment of selected table lamps. Electrification is possible through the adaptation point.



USM Kitos M and E Desk

| Sliding tabletop

Each desk (except free-standing) of the USM Kitos M and E family offers integrated smart solutions for electrification.



Basic desk

Why USM Kitos E? Maximum functionality and captivating design – USM Kitos E unites all requirements in one modern workplace: continuous height adjustability and maximum stability. A distinction is made between fixed and motor-driven legs in the E1, E2 and E3 models.

Extra size



H: 740 With or without middle traverse

| Side table

E2 with 1 motor E3 with 2 motors

Adjustment time

approx. 30 sec.



H: 650-1300 Adjustment time approx. 20 sec. With middle traverse With middle traverse Accessories for all USM Kitos M and E Desks

- 1 Grommet hatch for network access Hatch for a single power outlet, flush-mounted in table-top. This unit can be mounted in two different positions on the tabletop.
- 2 CPU holder The CPU holder allows computers of various sizes to be mounted either under the tabletop facing outwards or on the middle traverse facing outwards or inwards as desired.
- 3 Link chain Holds and directs cables to the power source.

E Meeting 4 USM Privacy 5 Flat screen Panels pivot arm Can be attached Screens are to the long side to screwed to the ensure individualheight adjustable ity and privacy for pivot arm using people working at tables configured as a cluster. H: 350 or 700. For tables with lengths: 2500, 2250, 1800, 1750, 1600.

a mounting plate (VESA standard). Available for USM Kitos E and M tables: the pivot arm is mounted onto the tabletop using the universal support. Available for USM Kitos M and E Plus: The pivot arm can be inserted into one of the adaptation points with a tube set. Continuous height adjustment for screens weighing up to 12 kg.

Accessories

Integrated cable tray underneath the tabletop	Integrated cable tray accessible from above by sliding back the tabletop Adaptation points for accessories	Integrated cable tray underneath the tabletop and acces- sible from all sides	
USM Kitos M	USM Kitos M Plus	USM Kitos M Meeting	**
H: 700–1200 L: 1800 / D: 900 L: 1750 / D: 750 L: 1600 / D: 800	H: 700–1200 L: 1800 / D: 900 L: 1750 / D: 750 L: 1600 / D: 800	H: 700–1150 L: 2500 / D: 1000 L: 2250 / D: 1000	
USM Kitos E	USM Kitos E Plus	USM Kitos E Meeting	USM Kitos E Free-standing
L: 1800 / D: 900 L: 1750 / D: 750 L: 1600 / D: 800 Available with E1*, E2 or E3** columns	L: 1800 / D: 900 L: 1750 / D: 750 L: 1600 / D: 800 Available with E1*, E2 or E3 columns	L: 2500 / D: 1250 L: 2500 / D: 1000 L: 2250 / D: 1000 Available with E1, E2 or E3 columns	H: 740 or 700 – 1110 Square L: 750 and 900 Round Ø: 900 and 1100

T	9
\prec	\star

The table can also be provided with an asymmetrical version of the middle transverse, for extra legroom. (This is not possible with the USM Kitos E / M Meeting.)

* Available with or without middle traverse. **Available in a GS-Mark tested version with 3 mm table edge radius and the asymmetrical middle traverse All measurements in mm

All measurements in mm

for all USM Kitos M and E Desks. except USM Kitos M Meeting/

- 6 Front panel Can be attached under the table to the long side or laterally. For tables with lengths: 1800, 1750, 1600.
- 7 Material tray Provides room for writing instruments and can be discreetly stowed under the tabletop.

Accessories for USM Kitos M Plus / E Plus

8 Flat screen support arm Screens are mounted onto the support arm (VESA standard) which can be connected directly to one of the adaptation points. Swivel-type with a spherical joint for the screen.

Mounting at different heights is possible for screens weighing up to 12 kg.

Flat screen 9 support bar The bracket is inserted into the adaptation points. Up to two screens $(max. 2 \times 12 \text{ kg})$ can be attached using a mounting plate (VESA standard). Screens can be mounted at different heights: screens can be adjusted with ball

joints.

Options:

- 9a Flat screen support bar fix
- 9b Flat screen support bar adjustable Move forwards or backwards two notches at a time to adjust the viewing distance.
- 10 USB adapter The adapter is suitable for USB 2.0 and 3.0 ports. It can easily be inserted into the adaptation point. Usable as power supply or for data transfer
- 11 Lamp peg An optional lamp peg for easy attachment of selected table lamps. Electrification is possible through the adaptation point.



USM Kitos Desk

Available at a fixed height, with incremental or free-flow height adjustment, which can be adjusted electronically.

Side table

1 Universal support Is mounted directly onto the tabletop to hold various accessories.

2 Flat screen pivot arm Screens are screwed to the height-adjustable pivot arm using a mounting plate (VESA standard). The pivot arm . can be mounted 4 onto the tabletop using the universal support (1). Continuously eight-adjustable for screens weighing up to 12 kg.

5 Link chain 3 Cable duct Holds and directs A black aluminum cable duct section, cables to the with lids that fold power source. open on both sides, to integrate CPU holder 6 power strips and Height is adjustacables. The table ble width can be depths can varied using a Velthereby be cro band. This expanded to the allows differently EU standard of sized computers over 800 mm. For to be installed. tables with lengths: 1800,

USM Privacy Panels Can be attached to the long side to ensure individuality and privacy for people working at tables configured as a cluster. H: 350 or H: 700. For tables with lengths: 1800,

1750, 1500.

1750, 1500, 900.

USM Kitos USM Kitos Rectangular Free-standing H: 740 H: 740 L: 1800 / D: 900 Square L: 1750 / D: 750 L: 900, 750 L: 1500 / D: 750 Round Ø: 1100, 900 L: 900 / D: 750 Stepwise height Stepwise height adjustment adjustment H: 680-780 / 1060 H: 680-780 / 1060 L: 1800 / D: 900 Square L: 1750 / D: 750 . L: 750 L: 1500 / D: 750 Round L: 900 / D: 750 Ø: 900 Rectangular L: 900 / D: 750 Continuous height adjustment H: 700-1200* Continuous L: 1800 / D: 900 height adjustment L: 1750 / D: 750 H: 680-1090* L: 1500 / D: 750 Square L: 900 / D: 750 . L: 750 Round Ø: 900

Rectangular

7 Cable wire basket For the cable man-

agement a cable wire basket can be used. It is hung under the tabletop out of sight.

8 Material tray Provides room for writing instruments and can be discreetly stowed under the tabletop.



Colours & surfaces



The tabletop in glass is only available for USM Haller Desks up to L: 2000 mm and all USM Kitos Other colours and surfaces Desks with a fixed height (H: 740 mm) or stepwise available upon request. height adjustment and con-tinuous height adjustment Prices and delivery times of table surfaces upon request. (H: 680-780 / 1060 mm).

Details

USM Haller



Metal

USM Haller Table





Powder-coated MDF





USM Kitos Table











Transparent glass





Oiled or lacquered veneer

USM Airportsystems AG Thunstraße 55 3110 Münsingen Switzerland

Phone: +41 31 720 70 80 Mobile: +49 151 5213 8967 Mail:b.forrest@usm.com

www.airport.usm.com